



"Bonding Solutions"

Printing Date: 1st July 2015

SAFETY DATA SHEET HOLDIT T72

Reviewed Date: 1st July 2015

SECTION 1. Identification of the Material and Supplier

Product Identifier

Trade Name: HOLDIT T72 High Temperature/High Strength Threadlocker

Other Names: T72

Part Number: T72-10 (10ml), T72-50 (50ml), T72-250 (250ml)

Relevant Identified Uses of the Substance or mixture Thread Locker

Details of the supplier of the Safety Data Sheet.

Supplier: Holdit Australia Pty Ltd Trading as Holdit
78 Main South Road
Old Reynella, South Australia, 5161

Telephone: +61 1300 552 680

Telephone: +61 8 8381 3516

Website: www.holdit.com.au

Email: info@holdit.com.au

Emergency Telephone: 13 11 26

SECTION 2. Hazardous Identification

Classification of the Substance or mixture



GHS07

Skin Irrit. 2	H315	Causes Skin Irritation
Eye Irrit. 2A	H319	Causes Serious Eye Irritation
Skin Sens. 1	H317	May cause an allergic skin reaction

Label Elements

GHS Label Elements This product is classified and labeled according to the Globally Harmonized System (GHS)

Hazardous Pictograms:



GHS07

Signal Word: Warning

Hazard-determining components of labeling

Ethoxylated dimethacrylate

Hazard Statement(s)

H315 -Causes skin irritation

H319-Causes Serious Eye Irritation

H317-May cause an allergic skin reaction

Precautionary Statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P280 Wear protective gloves

P280 Wear eye protection / face protection

P264 Wash thoroughly after handling

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing.

P363 Wash contaminated clothing before reuse.

P333+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 If on skin: Wash with plenty of water

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification System:

NFPA Ratings (Scale 0-4)



Health = 1

Fire = 1

Reactivity = 0

**SAFETY DATA SHEET
HOLDIT T72**Reviewed Date: 1st July 2015**HMIS Ratings (scale 0-4)**

Health = *1

Fire = 1

Reactivity = 0

Other Hazards**Results of PBT and VPvB assessment**

- **PBT:** Not Applicable
- **VPvB:** Not Applicable

SECTION 3. Composition/Information on Ingredients**Chemical characterization: Mixtures****Description:** Mixture of the substances listed below with nonhazardous additions.**Dangerous Components:**

	Ethoxylated dimethacrylate	70-80%
27813-02-1	Hydroxypropyl methacrylate	5-10%
80-15-9	Cumene hydroperoxide	≤1.00%

SECTION 4. First Aid Measures**Description of first aid measures****After Inhalation**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

After Skin Contact: Immediately wash with water and soap and rinse thoroughly.**After Eye Contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.**After Swallowing:** If symptoms persist consult doctor.**Information for doctor:****Most important symptoms and effects, both acute and delayed.** No Further relevant information available.**Indication of any immediate medical attention and special treatment needed.** No Further information available.**SECTION 5. Fire Fighting Measures****Extinguishing Media****Suitable extinguishing agents:**CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**Special hazards arising from the substance or mixture:** No further relevant information available.**Advice for Fire Fighters****Protective Equipment:** Wear self-contained respiratory protective device.
Wear fully protective suit.**SECTION 6. Accidental Release Measures****Personal Precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Wear protective clothing

Environmental precautions: Do not allow to enter sewers/ surface or ground water.**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust)

Ensure adequate ventilation

Dispose of the collected material according to regulations.

Reference to other sections See section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. Handling and Storage**Handling****Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols

No special precautions are necessary if used correctly.

Information about protection against explosions and fires: No special measures required.**Conditions for safe storage, including any incompatibilities**

SAFETY DATA SHEET HOLDIT T72

Reviewed Date: 1st July 2015

Storage:

Requirements to be met by storerooms and receptacles: No special requirements

Information about storage in one common storage facility: Not Required.

Further information about storage conditions:

Keep receptacle tightly sealed

Store in cool, dry conditions in well-sealed receptacles.

Specific end use(s): No further relevant information available.

SECTION 8. Exposure Controls/Personal Protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

80-15-9 Cumene Hydroperoxide

WEEL Long Term Value: 6 mg/m³, 1 ppm

Skin

Additional Information: The lists that were valid during the creation were used as basis.

Exposure Controls

Personal Protective Equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing Equipment:

Not required

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective Gloves

The glove material has to be impermeable and resistant to the product/ the substance/the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye Protection



Tightly sealed goggles.

Body Protection: Protective work clothing

SECTION 9. Physical and Chemical Properties

Information on basic physical and chemical properties

General Information

Appearance

Form

Fluid

Colour

Red

Odour

Characteristic

Odour Threshold

Not Determined

pH Value

Not Determined

Change in Condition

Melting point/Melting Range:

Undetermined

Boiling point/Boiling range:

195°C

Flash Point

95°C

Flammability (solid/gaseous)

Not Applicable



"Bonding Solutions"

Printing Date: 1st July 2015

SAFETY DATA SHEET HOLDIT T72

Reviewed Date: 1st July 2015

Ignition Temperature:

Decomposition Temperature: Not determined

Auto Ignition: Product is not self-igniting

Danger of explosion: Product does not present an explosion hazard

Explosion Limits

Lower: Not Determined

Upper: Not Determined

Vapour Pressure: Not Determined

Density: Not Determined

Relative Density: Not Determined

Vapour Density: Not Determined

Evaporation Rate: Not Determined

Solubility in/Miscibility with

Water: Not miscible or difficult to mix.

Partition coefficient (n-octanol/water): Not Determined

Viscosity

Dynamic: Not Determined

Kinematic: Not Determined

Solvent Content

Organic Solvents: 0.8%

Water: 0.1%

VOC Content: 0.8%

8.1 g/l / 0.07 lb/gl

Solids Content: 87.4%

Other information: No further relevant information available.

SECTION 10. Stability and Reactivity

Reactivity

Chemical Stability

Thermal decomposition/conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions: No dangerous reactions known.

Conditions to avoid: No further relevant information available

Incompatible materials: No further relevant information available

Hazardous decomposition products:

Aldehyde

Hydrocarbons

Carbon monoxide and carbon dioxide

SECTION 11. Toxicology Information

Information on toxicological effects

Acute Toxicity

LD/LC50 values that are relevant to for classification

80-15-9 Cumene Hydroperoxide

Oral LD50 382 mg/kg (rat)

Dermal LD50 500 mg/kg (rat)

Inhalative LC50/4h 220 mg/l (rat)

Primary Irritant Effect:

On the Skin: Irritant to skin and mucous membranes

On the Eye: Irritant effect.

Sensitization: Sensitizing possible through skin contact.

Additional toxicological information:

The product shows the follows dangers according to internally approved calculation methods for preparations:
Irritant.

Carcinogenic categories

IARC (International Agency for research on Cancer)

85-83-6 Colorant



"Bonding Solutions"

Printing Date: 1st July 2015

SAFETY DATA SHEET HOLDIT T72

Reviewed Date: 1st July 2015

NTP (National toxicology Program)

None of the ingredients is listed

OSHA-CA (Occupational Safety & Health Administration)

None of the ingredients is listed.

SECTION 12. Ecological Information

Toxicity

Aquatic Toxicity

No further relevant information available

Persistence and degradability

No further relevant information available.

Behavior in environment systems:

Bio accumulative potential

No further relevant information available.

Mobility in soil

No further relevant information available.

Additional ecological information

General Notes

Water hazard class 1 (self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

PBT:

Not applicable

vPvB:

Not applicable

Other adverse effects:

No further relevant information available.

SECTION 13. Disposal Considerations

Water treatment methods

Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned Packaging's:

Recommendation: Disposal must be made according to official regulations.

SECTION 14. Transport Information

UN Number

DOT, ADN, IMDG, IATA

Not regulated

Un Proper Shipping Name

DOT, ADN, IMDG, IATA

Not regulated

Transport Hazard class(es)

DOT, ADN, IMDG, IATA

Class

Not regulated

Packing Group

DOT, IMDG, IATA

Not regulated

Environmental hazards

Marine pollutant

No

Special precautions for user

Not applicable

Transport in bulk according to Annex II of MARPOL73/78

And the IBC Code

Not Applicable

UN "Model regulation"

-

SECTION 15. Regulatory Information

Safety, health and environment regulations/legislation specific for the substance or mixture

Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

80-15-9 Cumene Hydroperoxide

Ethylene glycol

TSCA (Toxic Substances Control Act):

Hydroxypropyl methacrylate

Cumene Hydroperoxide

Propylene Glycol

Polyethylene Glycol Dimethacrylate

Saccharin

2'-phenylacetohydrazide



"Bonding Solutions"

Printing Date: 1st July 2015

SAFETY DATA SHEET HOLDIT T72

Reviewed Date: 1st July 2015

Ethylene glycol
Colorant
Synthetic amorphous silica (fumed)
1,4-naphthoquinone
Deionized water

Proposition 65

Chemicals known to cause cancer

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity

None of the ingredients is listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

Ethylene glycol

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed

Chemical Safety Assessment: A chemical Safety Assessment has not been carried out.

SECTION 16. Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department Issuing SDS: Holdit Australia Pty Ltd trading as Holdit

Contact: Holdit Australia Pty Ltd trading as Holdit

Date of preparation/last revision 1/7/2015 v1

Abbreviations and acronyms:

ADR:	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG:	International Maritime Dangerous Goods Code
DOT:	US Department of Transportation
IATA:	International Air Transportation Association
ACGIH:	American Conference of Government Industrial Hygienists
EINECS:	European Inventory of Existing Commercial Chemical Substances
ELINCS:	European List of Notified Chemical Substances
CAS:	Chemical Abstract Service Number
NFPA:	National Fire Protection Association (USA)
HMIS:	Hazardous Materials Identification System (USA)
GHS:	Globally Harmonized System
IARC:	International Agency for Research on Cancer
IDLH:	Immediately Dangerous to Life and Health
OSHA:	Occupational Safety and Health Administration
VOC:	Volatile Organic Compounds (USA, EU)
LC50:	Lethal Concentration, 50 percent
LD50:	Lethal dose, 50 percent
PBT:	Persistent, Bioaccumulative and Toxic
vPvB:	very Persistent and very Bioaccumulative
Skin Irrit 2:	Skin corrosion/irritation, Hazardous Category 2
Eye Irrit 2A:	Serious eye damage/eye irritation, Hazardous Category 2A
Skin Sens 1B:	Sensitisation – Skin, Hazardous Category 1B

***Data compared to the previous version altered.**

Disclaimer:

The information set forth is based on information that Holdit Australia Pty Ltd trading as Holdit believes to be accurate. No warranty, expressed or implied is intended. The information is provided solely for your information and consideration and Holdit Australia Pty Ltd trading as Holdit assumes no legal responsibility for use or reliance thereon. In the event that discrepancy between the information on the non-English document and its English counterpart, the English versions shall supersede.

Contact Point

Technical Contact Number: Head Office Tel: 1300 552 680

****End of SDS****